


Machine Name : Turn-milling combination

Brand : Takisawa

Machine Model : LA-250Y

Stock No. : 50250

Ex-factory Date : 2019



Main Technical Parameters:

With Y axis

With tailstock

Fanuc TF CNC System

10 inches chuck

12 positions

With 3+1 live tools

Maximum rotating diameter: 580mm

Maximum machining length: 747mm





250/300 系列				
型號: LA-250C LA-250C LA-250C LA-250C				
項目	LA-250C	LA-250C	LA-250C	LA-250C
最大行程	580	580	580	580
行程速度	300(T10) 254(T11)	244	244	300(T10)
最大加工量	450	420	380	450
最大加工量	265	734(T134)	746.5(T148.5)	1163
最大加工量	75	75	75	90
X軸移動量	255	255	270	255
Z軸移動量	800	800(T1200)	800(T1200)	1000
Y軸移動量	—	—	±50	—
轉速	3500	3500	3500	3500
最大轉速	10"	10"	12"	12" (18")
最大轉速	A2-8	A2-8	A2-8	A2-8
最大轉速	85	85	85	101
最大轉速	100	100	100	140
工具型	T10/T15	T12	T12	T16
最大加工量	25	25	25	25
最大加工量	T10-50 (T12-40)	40	40	50
最大加工量	—	20	20	—
心軸移動量	130	130	130	130
心軸移動量	130	130	130	130
心軸移動量	MT.5	MT.5	MT.5	MT.5
心軸移動量	130	130	130	130
X軸移動速度	16	16	16	16
Z軸移動速度	20	20	20	20
Y軸移動速度	—	—	—	—
主軸	15/18.5	18/18.5	18/18.5	18.5/22
動力輸出	—	3.7/5.5	3.7/5.5	—
功率	12	12	12	12
功率	1.8	1.8	2.5	1.5
功率	2.5	2.5	2.5	2.5
功率	—	—	2.5	—



标准 | 选配表

项目	LA-250(L)	LA-250M(L)	LA-250Y(L)	LA-300
8速主轴	10	20	20	20
5级齿轴主轴	20	20	20	20
普通主轴	20	20	20	20
5级轴刀塔	20	20	20	20
5级轴	20	20	20	20
刀库座下座	20	20	20	20
刀库座下座	20	20	20	20
刀库座(4PCS)	20	20	20	20
刀库座(1PCS)	20	20	20	20
刀库座(1PCS)	20	20	20	20
刀库座#6	20	20	20	20
刀库座#8	20	20	20	20
刀库座#10	20	20	20	20
刀库座#12	20	20	20	20
刀库座#16	20	20	20	20
刀库座#20	20	20	20	20
刀库座#25	20	20	20	20
刀库座#32	20	20	20	20