Machine Name : Turn-milling center

Brand : Wia

Machine Model : L300MA

Stock No. : 90825

Ex-factory Date : 2014



Main Technical Parameters:

Maximum workpiece diameter: 410mm

Maximum workpiece length: 680mm

Chuck size: 10 inches

Spindle motor power: 22/18.5kw

Spindle speed: 3500rpm

X*Z axis travel: 290*750mm

X*Z axis feed rate: 20/24m/min

CNC System: Fanuc 32i-MODELA

Spindle torque: 493.4/414.9N.m

Tool magazine: 12

Footage: 4500*3600mm

Worktable size: 1250*800mm

PamtonSchnell














PamtonSchnell



- 油移双座直线式与高强性一体型构造
- 高坚厚滑床式双螺母固定方式
- 热变位最小化的主轴箱
- 无间轮式六角-锯齿刀塔配置机型
- 配置 8"副主轴，实现工序集约化-副主轴插介机型

规格

Description	Unit	L300MA
最大工件直径	mm	410
最大工件长度	mm	680
卡盘尺寸	inch	10"
主轴驱动方式	-	Belt
转速	r/min	3,500
主轴出力	kW	22/18.5
主轴扭矩	N.m	493.4/414.9
最大移送距离(X/Z)	mm	290/750
快速进给速度(X/Z)	m/min	20/24
导轨形式	-	BOX
刀具数量	EA	12
刀具尺寸	mm	25/50



