**Machine Name : CNC lathe**

**Brand : WIA**

**Machine Model : HD2208**

**Stock No. : 82888**

**Ex-factory Date : 2021**



**Main Technical Parameters:**

Chuck size: 8 inches

Rotation diameter: 585mm

Travel: 680mm

Turret position: 12

High rigidity box type rigid guideway






PamtonSchnell















VERTICAL MACHINING CENTER (立式加工中心)
VERTICAL TURNING CENTER (立式车床)
GROUP (分组)
TYPE (类型)
MODEL (型号)
HD2208
SERIAL NO. (生产编号)
VOLTAGE (额定电压)
220 V~ (3φ)
FREQUENCY (频率)
50 Hz
RATED POWER (总功率)
25 kVA
FULL LOAD CURRENT (额定电流)
60 A
CONTROL VOLTAGE (控制电压)
AC 110V~, DC 24V
ELECTRIC DIAGRAM (电气原理图编号)
SPINDLE SPEED(MAX) (主轴最大转速)
4000 min-1
ULTIMATE BREAKING CAPA. (极限分断能力)
25 kA
SERVICE BREAKING CAPA. (运行分断能力)
12.5 kA
WEIGHT (重量)
4100 kg
PRODUCTED DATE (生产日期)
IP RATING (IP 防护等级)
IP 43
215614,FENGHUANG DADAO 6 HAO
ZHANGJIAGANG,SUZHOU,JIANGSU,CHINA
TEL: 0512 56379775
HYUNDAI WIA CORPORATION