Machine Name : CNC lathe

Brand : GOODWAY

Machine Model : GLS-2000Le

Stock No. : 83850

Ex-factory Date : 2021



Main Technical Parameters:

CNC system: Fanuc oi-TF

Maximum diameter: φ560mm

Maximum machining diameter: φ420mm

Oil pressure chuck: 8 inches

Spindle through hole diameter: φ66mm

Bar capacity: 51mm

Spindle nose: A2-6

Spindle bearing diameter: φ100mm

Spindle speed: 4200rpm

Spindle motor power: 11/15kw

X*Z axis maximum travel: 230*630mm

X*Z axis maximum feed rate: 30m/min

Turret positions: 10


Guideway: Linear guideway


Machine weight: 3400kg

Dimensions (length * width * height) : 3612*1780*1716mm

PamtonSchnell














FANUC
SERVO AMPLIFIER
βiSVSP 40/40-15-B
A06B-6320-H223
RATED INPUT : 200-240V ~
50Hz/60Hz 3-ph 62A at 200V
:24V ⎓
MAX. OUTPUT VOLTAGE:240V ~
RATED OUTPUT at 200V/3-Ph
SPINDLE:1Hz-1.5kHz 74A
SERVO :0Hz-550Hz
L/M/N axis:13A /13A /
STANDARD : EN61800-5-1,UL508C
MANUAL NO.:B-65422
Y20X06371
2020-10
FANUC CORPORATION
Yamanashi 401-0597 JAPAN
CX3/CX4


程泰用心 · 卓越創新
WOODWAY
電路圖圖號
輸入電源之相位: 3
頻率: 50/60Hz
電壓: AC 380 V
機台型號 : CTS-2000
機 號 : 1926274
製造日期 : 2021.02
製造工廠 : WJ
主軸轉速 : 4200 rpm
機台重量 : 5400 kg
總電源開關 : 40 A
主軸額定電流 : 36 A
短路電流 : 15 kA
380 V
額定容量 : 20 KVA
程泰機械(吳江)有限公司
蘇州市吳江經濟開發區東太湖大道4888號
MADE IN CHINA