

Machine Name : machining center

Brand : JIRFINE

Machine Model : V-8

Stock No. : 91972

Ex-factory Date : 2022



Main Technical Parameters:

spindle: BT40

Spindle speed: 10000rpm

three-axis travel: 800x500x550mm

Worktable size: 1000x500mm

CNC System: Fanuc oiMFPlus

Three axes linear guideway





	I形槽 (A×D×B或H×D或B)	mm	18×5×80
行程	最大承重	Kg	600
	X轴	mm	800
	Y轴	mm	500
	Z轴	mm	550
快速进给	X/Y/Z轴	m/min	48/48/48
进给速度	X/Y/Z轴	mm/min	1~10000
主轴	主轴转速/转速		BT40/12000rpm普通式 (标配)
			BT40/10000rpm皮带式 (选配)
	主轴到工作台距离	mm	120-670
	主轴中心到Z轴护罩距离	mm	505
精度 (GB/T 20957.4-2007)	定位精度 (X/Y/Z)	mm	0.01/0.008/0.008
	重复定位精度 (X/Y/Z)	mm	0.007/0.005/0.005
刀库	刀库容量		24T
	最大刀具外径	mm	80 (兼容刀150)
	最大刀具长度	mm	300
	最大刀具重量	kg	7
	机床电源总容量	KVA	20
其它	气压	bar	≥6
	机床外形尺寸(长*宽*高)	mm	2450*2650*2750
	机床颜色		黑绿标准颜色
	防护		全防护

技术参数如有更改，恕不另行通知，奔德智能装备股份有限公司保留最终解释权。