

Machine Name : 5 axes tool grinder

Brand : EWAG

Machine Model : ROTOLINE

Stock No. : 84058

Ex-factory Date : 2006



Main Technical Parameters:

X-axis horizontal travel :460mm

X-axis fast feed rate :10m/min

X-axis resolution :0.0001°

Y-axis vertical travel :190mm

Y-axis fast feed rate :6m/min

Y-axis resolution :0.0001°

Z-axis travel:730mm

Z-axis fast feed rate:6m/min

Z-axis resolution :0.0001°

Stationary axis W1:730mm

W1-axis fast feed rate :7.5m/min

Z-axis resolution :0.0001°

Rotational B axis travel :+/-200°

B-axis fast feed rate:21600mm/min

B-axis resolution:0.0001°

C-axis (separator):360

C-axis resolution :0.0001°

Accessory taper :ISO 50

Spindle power :9KW





-X轴快速进给速度: 10[m/min]
-X轴分辨率: 0.0001[°]
-垂直轴Y行程: 190[mm]
-Y轴快速进给速度: 6[m/min]
-Y轴分辨率: 0.0001[°]
-Z轴行程: 730[mm]
-Z轴快速进给速度: 6[m/min]
-Z轴分辨率: 0.0001[°]
-静止轴W1:730[mm]
-轴w1快速进给速度: 7.5[m/min]
-Z轴分辨率: 0.0001[°]
-旋转轴B行程: +/-200[°]
-B轴快速进给速度: 21600[°/min]
-B轴分辨率: 0.0001[°]