**Machine Name : Gantry boring and milling machine**

**Brand : ZOJE**

**Machine Model : GMC30200GRL**

**Stock No. : 470717**

**Ex-factory Date : 2018**



**Main Technical Parameters:**

Worktable size :3000x20000mm
Gantry span:4400mm
Gantry height:1800mm
Worktable load :10t/$m^2$
T-slot width :28/36mm
X*Y*Z axis travels :20800*4700*1250mm
Taper (7:24):BT50
Spindle speed range :40~4500r/min
Machine footages (length * width * height) :36400*9600*7200mm
Machine tool total weight :205t

PamtonSchnell















PamtonSchnell



| 机床型号 | 外形尺寸(mm) | | | | |
|---|---|---|---|---|---|
| | 长 | 宽 | 高 | 净高(地面以上，mm) | |
| GMC30200GRL | 36400 | 3400 | 7200 | 6000 | |

3.2.3 技术参数表

| 项目 | | 单位 | GMC3080GRL | GMC30100GRL | GMC30200GRL |
|---|---|---|---|---|---|
| 工作台 | 工作台尺寸 | mm | 3300×8000 | 3300×10000 | 3000×20000 |
| | 龙门跨距 | mm | 4480 | | |
| | 龙门过高 | mm | 1800 | | |
| | 工作台承重 | t/m2 | 10 | | |
| | T型槽宽度 | mm | 28/36 | | |
| 加工范围 | 龙门框架行程—X 轴 | mm | 8000 | 10000 | 20000 |
| | 滑板行程—Y 轴 | mm | 4700 | | |
| | 滑枕行程—Z 轴 | mm | 1250 | | |
| | 镗孔 (7:24) | | BT50 | | |
| 主轴 | 转速范围 | r/min | 40~4500 | | |
| | 输出扭矩 | Nm | 1232/1478（连续/30min） | | |
| | 主电机功率 | Kw | 41/49（连续/30min） | | |
| | 滑枕截面尺寸 | mm | 400X480 | | |
| 进给 | 切削速度 X/Y/Z 轴 | mm/min | 1~6000 | | |
| | 快移速度 X 轴 | m/min | 10 | | |
| | 快移速度 Y 轴 | m/min | 15 | | |
| | 快移速度 Z 轴 | m/min | 12 | | |
| 机床总质量 | | t | 120 | 134 | 205 |
| | | | 140 KVA | | |



