

Machine Name : 5 axes deep hole drilling and milling boring machine

Brand : HAM

Machine Model : CBRM-3000NC

Stock No. : 492092

Ex-factory Date : The Ex-factory date 2013



Main Technical Parameters:

three-axis travel: 2700*1330*1500mm

worktable surface to spindle center height: 115-1445mm

Worktable size: 1500*1800mm

Worktable load: 20t

Worktable slot type: 7 T slots

Worktable specification spacing: 218mm

Spindle speed: 30-5000rpm

3 axes fast feed rate: 4000mm/min





CHANG CBRM-3000NC主要机械规格表

规格说明	单位	参数
机械型号		CBRM-3000NC
X轴行程	mm	2700
Y轴行程	mm	1330
Z轴行程	mm	1500
工作台面至主轴中心高度	mm	115-1445
工作台尺寸	mm	1500*1800
工作台承重	T	20
工作台槽型		22 7个T槽
工作台规格间距	mm	218
主轴转速	r/min	30-5000
快速进给X/Y/Z轴	mm/min	4000



CHANG CHUN HSIUNG ENTERPRISE CO., LTD.

機號: CBRM-3000NC	機械編號: 10219
期: MANUFACTURE: NOV. 2013	
台灣省台中縣太平市永義路117巷1號 Y 117, YUNG YI ROAD, TAIPING, TAICHUNG HSIEN, TAIWAN.	
886-4-22733363-22733665 886-4-22733369	
電壓: 220 (V)	週波數: 50/60±1(Hz)
電機: 30	電源容量: 50 (KVA)

