

Machine Name : CNC gantry grinder

Brand : BOYA

Machine Model : GDS25-600B

Stock No. : 84497

Ex-factory Date : 2018



Main Technical Parameters:

Three axis travel: 6500 * 2200 * 650mm

Maximum grinding length: 6500mm

Longmen width 2500mm

Y-axis stroke of horizontal axis: 2200mm

Maximum distance from the center of the horizontal grinding wheel to the workbench:
950mm

Horsepower: 40/30HP/KW

Grinding wheel: outer diameter × inner diameter × thickness: Φ 600x Φ 203.2 × 100mm

Speed: 950rpm

Speed (hydraulic drive): 5-25m/min

Workpiece load capacity: 12000kg

Work schedule: 6500 mm

Fast movement: 5m/min

Intermittent feed: 3-75mm

Continuous feed: 0~5000mm/min


Minimum micro feed: 0.001mm

Fast movement: 0.4m/min

Minimum micro feed: 0.001 mm

Maximum travel up and down: 650mm

Dimensions: 16000 * 6000 * 4600mm





臥式主軸頭 (臥 軸)	工作檯尺寸	mm	2000X6000
	臥軸砂輪中心至工作檯面最大距離	mm	950
	馬 力	HP/KW	40/30
	砂輪：外徑×內徑×厚度	mm	Φ500×Φ303.2×100
工作臺橫向 功能範圍	轉 速	r/min	950
	進給(液壓驅動)	mm/min	5-25
	工作範圍	mm	12000
	工作行程	mm	6500
臥軸縱向 進給功能	快速移動	m/min	5
	兩級進給	mm	3-25
	邊線進給	mm/min	0-5000
	雙小數進給	mm	0.001
臥軸垂直 進給功能	快速移動	m/min	0.4
	最小進進量	mm	0.001
	上下最大行程	mm	650
	長	mm	18000
機械尺寸	寬	mm	6000
	高	mm	4600
	電 源 電 力 需 求	kw (大3P)	75

3. 機械外形尺寸、重量總數均為參考值，請以實際為準。
GD-2500-95-30