

Machine Name : Vertical lathe

Brand : OM

Machine Model : VTLex915

Stock No. : 492200

Ex-factory Date :



Main Technical Parameters:

CNC CNC System: FANUC31i

X axis travel: right: 1015mm, left: 50mm

Z-axis travel: 800mm

Drive mode per shaft: screw

Worktable diameter: 915mm

Worktable load: 1500Kg

Maximum rotating diameter: 1250mm

Maximum turning external diameter: 1000mm

Maximum machining height: 800mm

Maximum rotating torque: 5370Nm

Maximum turning force: 25000N

spindle drive mode: belt drive

machine tool structure: Vertical lathe

ATC tools magazine: 12

tools magazine form: disk tools magazine

lead rail mode: rigid guideway

Footage: 5200*6000*4000mm

Ram cross-sectional area size: 180x180mm

X-axis fast feed rate: 16000mm/min

Z-axis fast feed rate: 12000mm/min

Worktable speed: 4~800rpm

Footage: 5200*6000*4000mm

With center flushing

Full axis glass scale



型号: VTlex915
 产地: 日本
 数控系统: FANUC 31i
 X 轴行程: 往右1015mm往左: 50mm
 Z 轴行程: 800 mm
 全轴光栅尺
 每轴驱动方式: 丝杆
 工作台直径: mm 915.
 工作台承重: 1500 Kg 最大回转直径: 1250mm
 最大车削外径: 1000 mm 最大加工高度: 800 mm
 最大旋转扭矩: 5370 Nm 最大车削力: 25000N
 主轴传动方式: 皮带传动机床结构: 立式车床 ATC
 刀库容量把12
 刀库形式: 圆盘刀库
 导轨方式: 硬轨
 外形尺寸: 5200*6000**4000(mm)
 滑枕截面尺寸: 180x180mm
 X 轴快速进给速度 mm / min 16000
 Z 轴快速进给速度 mm / min 12000
 工作台转速范围 rpm 4~800
 主轴中心出水: 有
 外形尺寸: 5200*6000**4000 mm



