

Machine Name : Horizontal machining center

Brand : DOOSAN

Machine Model : HC505

Stock No. : 63028

Ex-factory Date : 2015



Main Technical Parameters:

three-axis travel: 850*700*750mm

Distance from spindle center to worktable top: 50-750mm

Distance from spindle nose to worktable center: 150-900mm

Worktable size: 500*500mm

Worktable Load: 500kg

spindle maximum speed: 8000rpm

Maximum spindle torque: 353.4Nm

X*Y*Z axis fast speed: 40/40/40m/min

Tool holder form: BT40

tools magazine: 40 (60)

Tool maximum diameter: $\phi 75$ mm

Tool maximum length: 400mm


Tool maximum weight: 10kg

spindle motor power: 18.5kw

Footage: 5290*2680*3020mm

Machine weight: 12500kg





机床规格

主 机		附件名称	
打 孔 机	A型 (工程钻机)	mm	25A
	B型 (标准标准型)	mm	25C
	C型 (普通 下台钻)	mm	25D
	D型 (普通 下台钻)	mm	25E
工 作 台	普通型	mm	1000 × 500
	加厚型	mm	1000 × 500
	加厚型	mm	1000 × 500
	加厚型	mm	1000 × 500
主 轴	普通型	mm	1000 × 500
	加厚型	mm	1000 × 500
	加厚型	mm	1000 × 500
	加厚型	mm	1000 × 500
进 料 机	普通型	mm	1000 × 500
	加厚型	mm	1000 × 500
	加厚型	mm	1000 × 500
	加厚型	mm	1000 × 500
自动送料装置	普通型	mm	1000 × 500
	加厚型	mm	1000 × 500
	加厚型	mm	1000 × 500
	加厚型	mm	1000 × 500
自动送料装置	普通型	mm	1000 × 500
	加厚型	mm	1000 × 500
	加厚型	mm	1000 × 500
	加厚型	mm	1000 × 500
电 源	普通型	mm	1000 × 500
	加厚型	mm	1000 × 500
	加厚型	mm	1000 × 500
	加厚型	mm	1000 × 500
进 料 机	普通型	mm	1000 × 500
	加厚型	mm	1000 × 500
	加厚型	mm	1000 × 500
	加厚型	mm	1000 × 500
主 轴	普通型	mm	1000 × 500
	加厚型	mm	1000 × 500
	加厚型	mm	1000 × 500
	加厚型	mm	1000 × 500
工 作 台	普通型	mm	1000 × 500
	加厚型	mm	1000 × 500
	加厚型	mm	1000 × 500
	加厚型	mm	1000 × 500