

Machine Name : Boring and milling machine

Brand : Toshiba

Machine Model : BTD-11R16

Stock No. : 463459

Ex-factory Date : 1991



Main Technical Parameters:

Worktable size: 1400*1600mm

three-axis travel: 2000*1500*1450mm

W axis travel: 500mm

Worktable load: 6300kg

Rotary worktable indexing: 0.001

Spindle speed: 2500rpm

spindle motor: 15/11KW



spindle: BT50





2	工作台相对于坐标轴的水平度	$\leq 0.02\text{mm}$
	工作台对Z轴平行度	$\leq 1200\text{mm}$ 垂直度在水平 0.03mm
3	Z轴移动对工作台的垂直度	$320-500\text{mm}$ 垂直度在水平 0.02mm
4	Z轴移动对工作台的垂直度	$320-500\text{mm}$ 垂直度在水平 0.02mm
5	X轴移动对工作台的垂直度	$320-500\text{mm}$ 垂直度在水平 0.02mm

烟台杰能数控机床有限公司
卧式加工中心精度检验表2

序号	检测内容	检测方法	允许误差 (mm)	检测误差 (mm)
6	三轴移动对工作台的垂直度		a. 垂直度在水平 0.01mm	0.01
			b. 垂直度在垂直 0.02mm	0.02
7	三轴移动对工作台的垂直度		$320-500\text{mm}$ 垂直度在水平 0.02mm	垂直度在水平 0.02mm

