

Machine Name : machining center

Brand : DMG MORI SEIKI

Machine Model : DuraVertical 635 eco

Stock No. : 487172

**Ex-factory Date : "□□ □" □ □ □ □
"backup"**



Main Technical Parameters:

CNC CNC System: Mitsubishi


three-axis travel: 635*510*460mm

Worktable size: 790*560mm

Spindle speed: 8000rpm

machining time: 4,000 + hours





項目 Item		DuraVertical 535 eco
行程 Travel	X軸行程 (工作台的縱向運動) X-Axis Travel (Longitudinal Movement of Table)	mm (in) 605 (26.06)
	Y軸行程 (鞍座的橫向運動) Y-Axis Travel (Cross Movement of Saddle)	mm (in) 510 (20.07)
	Z軸行程 (主軸頭的垂直運動) Z-Axis Travel (Vertical Movement of Spindle Head)	mm (in) 460 (18.11)
	工作台面到主軸基準面的距離 Distance from Table Surface to Spindle Gauge Plane	mm (in) 120 - 580 (4.72 - 22.83)
	工作台面加工面 Table Working Surface	mm (in) 790 × 560 (31.10 × 22.04)
工作台 Table	工作台裝載重量 (工作台中心) Table Loading Capacity (Table Center)	kg (lb) 600 (1,320)
主軸 Spindle	工作台面形狀 Table Surface Configuration	14 mm ¹ 槽 6 個 14 mm T-Slot 5 pieces
	主軸最大轉速 ¹⁾ Max. Spindle Speed ¹⁾	mm ⁻¹ 8000
	主軸轉速範圍級數 Number of Spindle Speed Ranges	級 Step 1
	主軸錐形孔的類型 Type of Spindle Taper Hole	No No. 40
	主軸軸承內徑 Spindle Bearing Inner Diameter	mm (in) 65 (2.56)
快速進給速度 Rapid Traverse Rate	mm/min (ipm)	X, Y, Z: 25000 (984.25) X, Y, Z: 4900 (56)

