

**Machine Name : Vertical machining center**

**Brand : Makino**

**Machine Model : V33i**

**Stock No. : 487021**

**Ex-factory Date : 2012**



**Main Technical Parameters:**

CNC CNC System: professional 5

three-axis travel :650\*450\*250mm

Worktable size :750\*450mm

Distance from spindle to worktable surface :450mm

Tool holder model :HSK-A63

Number of Tool holders :40

Spindle speed :20000 RPM

Footage :2400\*1800\*2500mm

spindle drive mode: electric spindle

Drive mode per shaft: screw chip removal mode: drawer type

guideway way: three rigid guideway machine tool Structure: gantry

Settings:

Bronn Tool Aligner

Full axis glass scale

A high precision 4-axis

Usage time: more than 2000 hours

Applicable to products:

Precision small gear, spline, cycloidal wheel, steel mechanical seals, precision jig, mold manufacturing, mold manufacturing, electrical plastic shell mold, IC chip mold, optical lens mold, car light mold, bottleneck mold, thin-wall mold, medical equipment plastic mold, rubber and plastic seal mold, precision plastic connector mold, precision gear mold, precision mold stand, progressive mold, motor Motor mold, metering pump mold



出口到我们国内的 V33i 是三轴的精度配置。

品牌 V33i 立式加工中心

型号: V33i

产地: 日本 系统: professional 5

运行时间: 使用时间:

三轴行程: 650mm X: 450mm Y: 250mm

波龙对刀仪 全轴光栅尺

主轴驱动方式: 丝杆 排屑方式: 抽屉式

工作台尺寸: 750mmx450mm

主轴到工作台的距离: 450mm

刀柄型号/数量: HSK-A63 40 把

主轴转速: 20000 转

主轴传动方式: 电机架

导轨方式: 三赛热 机头结构: 龙门

外形尺寸: 2400\*1800\*2500mm

适用于产品: 精密小型齿轮花键及螺线轮 塑料机械零件 精密汽

具治具的制造 模具制造的: 电铸型壳类模具 i C 芯片模具 光学

镜头零件等模具 精密模具 精密模具 医疗器材类模具

精密模具 E: 精密模具连接器及密封模具 精密模具 精密模具