

Machine Name : Gantry machining center

Brand : Toshiba

Machine Model : MPF-2614ES

Stock No. : 64562

Ex-factory Date : 2010



Main Technical Parameters:

three-axis travel: 1400*2600*715mm

Worktable size :2000*1400mm

Gantry height: 1400mm

Gantry width: 2600mm

Worktable load: 10,000 kg

The T-slot size of worktable :24mm/200mm

Spindle speed :40- 10,000 RPM

tools magazine :24 pieces

Tool holder specification :BT50

Rapid movement along the X*Y*Z axes :30000*30000*20000mm/min

Accessories: Water tank, chip conveyor





2	制御装置	
3	駆動部品: ジャックボルト-加工板	
4	自動工具交換装置(ATC): 24本	
5	クーラント装置 B	
6	エアブロー装置	
7	フルクロスドローブ系用フィードバックシステム	
8	エアドライヤ	
9	オペレータコールランプ(3色: 赤, 黄, 緑)	
	赤色: すべてのアラーム状態で点灯	
	黄色: M00, M01, M02, M30及びM52指令で点灯	
	緑色: 自動運転中点灯	
10	自動工具長測定装置	
11	チップカバ- (ハーフカバ-)	
12	軸名持変更 (X=V)	
13	立ち食い機	
14	主軸負荷率固定機能	
15	最大積載質量: 15000kg 対応	
16	ケミカルセッター一式	
17	スルスビッドルエアー	
18	飛散防止用硬質ビニールシート	
19	主軸 C 軸制御 / CF 制御	
標準仕様		
1	制御軸数	4軸: X, Y, Z, C

2	同時制御軸数	4軸: X, Y, Z, C
3	移動量 X×Y×Z	1400×2600×715mm
4	クロスレール移動量	500mm