

Machine Name : Vertical machining center

Brand : OKUMA

Machine Model : MB-66VB

Stock No. : 65292

Ex-factory Date : To be supplemented



Main Technical Parameters:

CNC System: OSP-P200M

three-axis travel: 1500*660*660mm

Worktable: 1300*560mm

Spindle speed: 6000rpm


spindle tool holder: BT50

Maximum torsion: 220/650 n-m /rpm

tools magazine: 20

Linear guide, electric spindle, chain type

Tool Aligner, center flushing outlet, chip conveyor, water tank





項目	工作/規格	單位	標準/最大值
	工作台尺寸	mm	660 x 1,530
	T-槽 (寬度)	mm	18 [x5槽, 導程: 125]
	與地面距離	mm	850
	負載	kg	1,500
主軸	轉速 (標準)	RPM	50 ~ 6,000
	可配選擇速(*)	RPM	12,000
	錐度		7/24-BT 50 (標準)
	拉釘		MAS-2型 (只適用於標準型)
	軸承內徑	mm	Ø90
	最大扭矩	N·m/rpm	220 / 650
			(220 / 650 [12,000])*
進給	快速	m/min	X及Y軸: 40
			Z軸: 32
	切削	m/min	X、Y、Z軸: 32
ATC	刀庫容量	把	20 (32, 48)*
	庫存刀具最大直徑	mm	100 (兩側有刀具)
			152 (兩側沒有刀具)
	刀具最長長度	mm	400
	庫存刀具最大重量	kg	12 (15)*
	刀具儲存方法		隨機式