

**Machine Name : Vertical machining center**

**Brand : OKUMA**

**Machine Model : MB-66VB**

**Stock No. : 65292**

**Ex-factory Date : To be supplemented**



**Main Technical Parameters:**

CNC System: OSP-P200M

three-axis travel: 1500\*660\*660mm

Worktable: 1300\*560mm

Spindle speed: 6000rpm


spindle tool holder: BT50

Maximum torsion: 220/650 n-m /rpm

tools magazine: 20

Linear guide, electric spindle, chain type

Tool Aligner, center flushing outlet, chip conveyor, water tank





| 項目  | 工作/規格    | 單位      | 標準/最大值                |
|-----|----------|---------|-----------------------|
|     | 工作台尺寸    | mm      | 660 x 1,530           |
|     | T-槽 (寬度) | mm      | 18 [x5槽, 導程: 125]     |
|     | 與地面距離    | mm      | 850                   |
|     | 負載       | kg      | 1,500                 |
| 主軸  | 轉速 (標準)  | RPM     | 50 ~ 6,000            |
|     | 可配選擇速(*) | RPM     | 12,000                |
|     | 錐度       |         | 7/24-BT 50 (標準)       |
|     | 拉釘       |         | MAS-2型 (只適用於標準型)      |
|     | 軸承內徑     | mm      | Ø90                   |
|     | 最大扭矩     | N·m/tpm | 220 / 650             |
|     |          |         | (220 / 650 [12,000])* |
| 進給  | 快速       | m/min   | X及Y軸: 40              |
|     |          |         | Z軸: 32                |
|     | 切削       | m/min   | X、Y、Z軸: 32            |
| ATC | 刀庫容量     | 把       | 20 (32, 48)*          |
|     | 庫存刀具最大直徑 | mm      | 100 (兩側有刀具)           |
|     |          |         | 152 (兩側沒有刀具)          |
|     | 刀具最長長度   | mm      | 400                   |
|     | 庫存刀具最大重量 | kg      | 12 (15)*              |
|     | 刀具儲存方法   |         | 隨機式                   |