

Machine Name : Vertical machining center

Brand : OKUMA

Machine Model : MB-56A

Stock No. : 88560

Ex-factory Date : 2022



Main Technical Parameters:

CNC CNC System: OSP-300MA

three-axis travel: 1050*560*460mm

spindle: BT40

Spindle speed: 15,000 resolutions

Worktable size: 1300*560mm

Worktable load: 900kg

Configuration

Equipped with a 170mm four-axe CNC System from Tsudakoma, Japan

Drive

Four-axis center

Original Laser Tool aligner aligner Aligner



"Chariot racing"


Oil mist collector

Several tools Tool holders

Usage time: Over 5,000 hours







	主电动机	YK272-63A(90分钟) 连续	(1)
	刀式件屑移动式装夹装置		(1)
	刀具自动换刀系统		(1)
	刀具主轴热态平衡控制 TMS-S		1
	NC型半自动装夹进口		1
	吸排屑系统		1
五、控制系统			
1	DS-PCOUMA-MB-D 应用		1
2	中文显示器		1
*	高刚性床身		(1)
*	程序存储器容量 800(标准)		(1)
*	进给泵流量 200L(标准)		(1)
*	刀库容量 200(标准)		(1)
*	刀架旋转速度 900 度/分(标准)		(1)
*	液体冷却系统启动功能		(1)
*	可拆卸信息功能		(1)
*	与早期系统的选择 (200 组)		(1)
*	螺旋切屑		(1)
*	同步攻丝 IT		(1)
*	伺服轴行程极限		(1)
*	位置角度的角度加工		(1)
*	位置精度保证		(1)
*	范围的放大和缩小		(1)
*	刀具寿命管理		(1)
*	刀具磨损补偿		(1)
*	手动测量 (不含传感器)		(1)
*	自动电源切断功能		(1)
*	顺序停止		(1)
*	复位到程序段的中间		(1)
*	简易负荷监视		(1)
*	NC 运行监视		(1)
*	循环时间缩短功能 (操作时间缩短功能)		(1)
3	机床检测装置		1
六、其他			
1	GB 规格		1