Machine Name : 5 axes machining center

Brand : QUASER

Machine Model : MF400C

Stock No. : 66079

Ex-factory Date : 2017



Main Technical Parameters:

CNC System: Siemens 828D

three-axis travel :410×610×510mm

Axis A +30°-120°, Axis C 360°

spindle: BBT40

magazine capacity :30. ATC

Spindle speed: 12,000 RPM

The 3 axes hollow screw with cooling function

A Axial optical scale

Rotate the optical scale along the C-axis

Tool TS-27R

PamtonSchnell
















Reference No.: SCA1/16016-R2(F5)
Date : 2017-04-19

台湾百德 "QUASER" 立式切削中心机 MF400C/12C

Qty. Description

3 sets 百德立式切削中心机:
机型 : MF400C/12C
控制器 : Siemens 828D
XYZ 行程: X 轴 410mm, Y 轴 810mm, Z 轴 510mm, A 轴+30°-120°, C 轴 360°
工作台最大工件: 直径 400mm x 高度 300mm x 安全荷重 100kg
快速位移速度: X/Y/Z: 36 / 36 / 24m/min, A/C: 25 min
主轴锥度: 双面拘束主轴 BBT40
刀库容量: 30 ATC

配置:
1) Big Plus 双面拘束, 主轴单元 12,000rpm 直结式主轴
2) 主轴油冷却机
3) 冲屑系统
4) 外置式手轮
5) 主轴环绕喷水+ 水枪
6) 机床自动间歇冲水+ 机床不锈钢保板
7) Y 轴双 SCREW AUGER 排屑
8) 工件吹气
9) 机台上方全闭式护罩
10) 安全厚板金护罩设计度 2.3MM
11) 工作灯二只、机台状态警示灯
12) CE 手册、自动断电
13) 三轴自动润滑系统

较适配置: (每台机各一套)
1) A 轴光学尺
2) C 轴旋转光学尺
3) 刀具量测 TS-27R (Renishaw)
4) 刮板式排屑机
5) 油水分离器
6) 4 个丸架刀头, 4 个接杆, 来嘴一套, 相应扳手