

Machine Name : 5 axes machining center

Brand : QUASER

Machine Model : MF400C

Stock No. : 466079

Ex-factory Date : 2017



Main Technical Parameters:

CNC System: Siemens 828D

three-axis travel :410×610×510mm

Axis A +30°-120°, Axis C 360°

spindle: BBT40

magazine capacity :30. ATC


Spindle speed: 12,000 RPM


The 3 axes hollow screw with cooling function

A Axial optical scale

Rotate the optical scale along the C-axis

Tool TS-27R





Reference No.: SCA1/16016-R2(P.5)	
Date: 2017-04-19	
台湾百德“QUASER”立式切削中心机 MF400C/12C	
Qty.	Description
1 set	百德立式切削中心机:
	机型: MF400C/12C
	控制器: Siemens 828D
	XYZ行程: X轴410mm, Y轴510mm, Z轴510mm, A轴+30°/-120°, C轴360°
	工作台最大工件: 直径400mm x 高度300mm x 安全重量100kg
	快速位移速度: X/Y/Z: 36 / 16 / 74m/min, A/C: 25 min
	主轴速度: 双端侧主轴 BBT40
	刀库容量: 30 ATC
配置:	
1) Big Plus 双面夹束, 主轴单元 12,000rpm 直结式主轴	
2) 三轴油冷系统	
3) 冲屑系统	
4) 外置式手轮	
5) 三轴环绕喷水+ 冷却	
6) 机床自动内吸冲水+ 机床不锈钢罩板	
7) Y轴双 SCREW AUGER 排屑	
8) 工件吹气	
9) 机台上方全封闭式护罩	
10) 安全厚度金罩设计厚度 2.3MM	
11) 工作灯二只, 机台状态警示灯	
12) CO 手册, 自动断电	
13) 三轴自动润滑系统	
标准配置 (每台机各一套)	
1) A 轴光罩尺	
2) C 轴旋转光罩尺	
3) 刀具量测 TS-2TR (Renishaw)	
4) 刮板式排屑机	
5) 油水分离器	
6) 4 个九采刀头, 4 个刀头, 夹嘴一套, 相应扳手	