

Machine Name : Vertical machining center

Brand : KITAMURA

Machine Model : Mycenter- 3XH

Stock No. : 444488563

Ex-factory Date : 2016



Main Technical Parameters:

travel of X*Y*Z axis: 760*455*460mm

Worktable size: 410*900mm

Maximum load: 500kg

Spindle speed: 40- 15,000 RPM

spindle taper: NST.NO.40

spindle motor power: 15kw

spindle torque: 95.5Nm

Rapid feed rate: 50,000 mm/min


Chip feed rate: 0-36000mm/min

tools magazine :30

Distance from worktable to spindle nose is 110*570mm

machine tool weight: 5,740 kg

Appearance Footage: 2235*2370*2882.4mm





机床带自动换刀功能，加工工件材料为钢、铝、铜、钛、不锈钢、陶瓷、玻璃、碳纤维、复合材料等。

最大工件：2700 mm

安装范围：20-20000rpm

北村机械 Mycenter 3XiG/3XG

工作台	工作台尺寸	410x600mm
	最大承重	500kg
	X/Y/Z轴	100/450/400mm
主轴	主轴转速	250-20000
	最大承重	40-15000mm
	主轴长度	1500mm
	主轴直径	55-100mm
	主轴材质	合金钢
刀具	刀具长度	345-1000mm
	刀具直径	1.5-10mm
	刀具更换时间 (T-T-C)	1.5-3.5sec
快速进给	快速进给速度 (X/Y/Z)	50,000 mm/min
	快速进给速度 (Z)	50,000 mm/min
	快速进给速度 (Z)	50,000 mm/min
电源和气压要求	电源电压	200V/200V/200V/200V
	机床尺寸 (WxDxH)	2,100x2,100x2,100mm
机床尺寸	机床重量	2,500kg
	控制系统	Automatic 3D (三菱 3D-7000)