

Machine Name : Vertical machining center

Brand : KITAMURA

Machine Model : Mycenter- 3XH

Stock No. : 4444488563

Ex-factory Date : 2016



Main Technical Parameters:

travel of X*Y*Z axis: 760*455*460mm

Worktable size: 410*900mm

Maximum load: 500kg

Spindle speed: 40- 15,000 RPM

spindle taper: NST.NO.40

spindle motor power: 15kw

spindle torque: 95.5Nm

Rapid feed rate: 50,000 mm/min


Chip feed rate: 0-36000mm/min

tools magazine :30

Distance from worktable to spindle nose is 110*570mm

machine tool weight: 5,740 kg

Appearance Footage: 2235*2370*2882.4mm





「大摩金」每日加下相加下下的所得时间。扣除下和性下下下下，当期上二完成，记录该数，从而观测该数的变化。

输入动作：2780 回

转速范围: 20-20000rpm,

北机机械 Mycenter 3XiG/3XG		
工作台	工作尺寸/寸	4150×800 mm
	最大承重	900kg
	X/Z轴行程	X/Z=450×460mm
工轴	主轴转速	205~260 r/min
	最大承重	40~5,000 mm/min
	工轴行程	1,800mm
刀座	主轴电机	63.5kW
	主轴形式	直联主轴
	刀库容量	30把(刀库)
快速进给	刀柄	MA65 BT30-46
	刀具安装尺寸 (T-T-C-C-C)	1,500×3,300
	快速进给速度 (X/Z)	50,300 mm/min
快速进给	快速进给速度 (Y)	85,300 mm/min
	快速进给速度 (Z)	50,300 mm/min
	快速进给速度 (X)	85,300 mm/min
机床尺寸	机床重量	2,100 kg
	机床高度	2,300 mm
	机床宽度	2,300 mm
控制系统	电气控制	50/60 Hz, 3-Phase, 3-400V
	数控系统	Siemens 840D (选配)
	操作系统	Windows 7/8 (选配)