

Machine Name : High speed punch

Brand : KYORI

Machine Model : FENIX-30II

Stock No. : 810390

Ex-factory Date : 2012



Main Technical Parameters:

Nominal tonnage: 300tons

Stroke length: 13mm



Stroke per minute: 200-1700spm

Worktable area: 600*500mm

Mold height: 240mm

Slider adjustment length: 40mm





電源(最大) POWER SOURCE (max.)	3~200V 50Hz	5.0kVA/15.2A
	3~200V 60Hz	5.1kVA/15.6A
	3~220V 60Hz	5.2kVA/14.5A
出力 OUTPUT	圧縮機 COMP	2.2kW
	ポンプ PUMP	0.75kW
	ファン FAN	150W
	攪拌機 AGITATOR	
	ヒーター HEATER	3kW
冷媒 REFRIGERANT	R410A	: 1.53kg
冷凍機油 REF. OIL	FVC50K	: 0.75L
最高使用圧力 M. O. P.	4.1 MPa (max.)	
製品質量 WEIGHT	153kg	
製造年 PRODUCT YEAR	2010	
製造番号 MFG. No.	6000114	
The followings are required to indicate by Japanese law only obligated in Japan.		
フロン回収・破壊法 第一種特定製品		
この製品には冷媒として、HFC が使われています。		
1. フロン類をみだりに大気中に放出することは禁じられています。		

