

**Machine Name : High speed punch**

**Brand : KYORI**

**Machine Model : FENIX-30II**

**Stock No. : 4810390**

**Ex-factory Date : 2012**



**Main Technical Parameters:**

Nominal tonnage: 300tons

Stroke length: 13mm



Stroke per minute: 200-1700spm

Worktable area: 600\*500mm

Mold height: 240mm

Slider adjustment length: 40mm





|                                                                                  |                |              |
|----------------------------------------------------------------------------------|----------------|--------------|
| 電源(最大)<br>POWER<br>SOURCE<br>(max.)                                              | 3~200V 50Hz    | 5.0kVA/15.2A |
|                                                                                  | 3~200V 60Hz    | 5.1kVA/15.6A |
|                                                                                  | 3~220V 60Hz    | 5.2kVA/14.5A |
| 出力<br>OUTPUT                                                                     | 圧縮機 COMP       | 2.2kW        |
|                                                                                  | ポンプ PUMP       | 0.75kW       |
|                                                                                  | ファン FAN        | 150W         |
|                                                                                  | 攪拌機 AGITATOR   |              |
|                                                                                  | ヒーター HEATER    | 3kW          |
| 冷媒 REFRIGERANT                                                                   | R410A          | : 1.53kg     |
| 冷凍機油 REF. OIL                                                                    | FVC50K         | : 0.75L      |
| 最高使用圧力 M. O. P.                                                                  | 4.1 MPa (max.) |              |
| 製品質量 WEIGHT                                                                      | 153kg          |              |
| 製造年 PRODUCT YEAR                                                                 | 2010           |              |
| 製造番号 MFG. No.                                                                    | 6000114        |              |
| The followings are required to indicate by Japanese law only obligated in Japan. |                |              |
| フロン回収・破壊法 第一種特定製品                                                                |                |              |
| この製品には冷媒として、HFC が使われています。                                                        |                |              |
| 1. フロン類をみだりに大気中に放出することは禁じられています。                                                 |                |              |

