Machine Name : Internal and External Cylindrical Grinding Machine



Brand : JMC

Machine Model : JMC-I000A

Stock No. : 468188

Ex-factory Date : 2013

Main Technical Parameters:

The maximum rotation diameter on the bed is 410mm
machining length between the two centers: 1000mm
The weight of the workpiece between the two centers: 200kg
Maximum external grinding diameter: 350mm
Maximum internal grinding diameter: 250mm
Minimum internal grinding diameter: 10mm
Maximum internal grinding depth: 150mm
Headstock Spindle speed: 15 to 1500 RPM
The power of the headstock spindle is 5.5kW
Headstock spindle taper: Mohs No. 5
Headstock rotation Angle: 0° to 90°
Top model of tailstock: Mohs No. 4
tailstock quill shaft travel: 120mm





PamtonSchnell















RECOMMENDED OIL
MOBIL VACUOLINE 1409
1 CC
EXCHANGE : EVERY DAY
RECOMMENDED OIL
MOBIL VELOCITE NO.3
25 ℓ
EXCHANGE : EVERY 6 MONTHS
RECOMMENDED OIL
MOBIL VACUOLINE 1409
1 CC
EXCHANGE : EVERY DAY
RECOMMENDED OIL
MOBIL VACUOLINE 1409
150 ℓ
EXCHANGE ONCE A YEAR
FILTER CLEANING
HYDRAULIC TANK :
EVERY 6 MONTHS
WHEELHEAD :
EVERY 3 MONTHS