

Machine Name : Surface grinder

Brand : FREE PORT

Machine Model : SGS-3488AHD

Stock No. : 468687

Ex-factory Date : 2019



Main Technical Parameters:

Maximum Travel: 870 mm × 2350 mm

Z-axis: Programmable feed

Worktable Size: 850 mm × 2200 mm

Three axis Fully automatic




Spindle: Double V-wide spindle with frequency converter

Additional Configurations:

Magnetic separator

Oil-cooler







(宽 x 长)	850x1700	850x2200	850x3200	850x4700
工作台左右最大行程	1850	2350	3350	4850
工作台前后最大行程	870			
工作台前与主轴中心最大距离	950			
工作台左右速度	5-25米/分钟 (16-80英尺/分钟)			
前后每次进刀量 (60HZ)	0-38			
上下手转每一刻度 (1 gra)	0.002			
前后手轮每一刻度 (1 gra)	AHD (0.02) / PNC (0.002)			
左右行程调整距离	150-1800	150-2300	150-3300	150-4800
前后行程调整距离	0-850			
主轴马达	15HP x 6P			
油泵泵马达	10HP x 6P		15HP x 6P	
前后马达	AHD: 1/4HP x 6P PNC: 交流舵机			
上下马达	交流舵机			
砂轮尺寸	510 x 50 x 127			
砂轮 x 厚度 x 内径)	x 510 x 75 x 203.2			
主轴速度	1150 转/分/60 赫兹			
50 / 50HZ)	960 转/分/50 赫兹			