

Machine Name : Horizontal machining center

Brand : OKK

Machine Model : PCH600

Stock No. : 80079

Ex-factory Date :



Main Technical Parameters:

Table: 630*630mm

Travel: 820*820*720mm

Spindle speed 6000rpm

Spindle power 15KW

Fast moving speed: 20m/min

Max load: 800KG

Power Capacity: 33KVA

Weight 12 tons





R320mm	R12.99"	R425mm	R16.72"
700mm	27.56"	980mm	38.58"
1" (Option 0.001")		1" (Option 0.001")	
Option 300-16,000	30-6,000	30-6,000	
Strokes	L: 30-999 H: 1,000-8,000	L: 30-1300	H: 1,301-6,000
No. 40	No. 50	No. 50	
70mm	2.76"	85mm	3.35"
16mm/min	630 gpm	20mm/min	787 gpm
1.5m/min	0.1-195 gpm	1.5m/min	0.1-195 gpm
MAG B740 or CAT40	MAG B750 or CAT50	MAG B750 or CAT50	
15 (Option 60)	40	40 (Option 60)	
85 (170/350)mm/10 kg	120 (170/350)mm/10 kg	120 (170/350)mm/10 kg	
3.34" (8.7")/13.8" (32 lbs)	4.72" (12.1")/13.8" (32 lbs)	4.72" (12.1")/13.8" (32 lbs)	
Mechanical random		Mechanical random	
7.5kW/10HP (130 min)	7.5kW/10HP (130 min)	15kW/20HP (130 min) 15kW/20HP (continuous)	
4kW/5HP (continuous)	5.5kW/7.5HP (continuous)	X, Y, Z: 2.0kW	
X, Y, Z: 2.0kW	2.2kW	2.2kW	
400W x 4P	400W x 4P	400W x 4P	
25W	25W	25W	
400W x 2P	400W x 2P	400W x 2P	
23kVA	23kVA	23kVA	
22mm ³	22mm ³	22mm ³	
0.5-0.7MVA (5-7 kg/cm ²) 70-100PS	0.5-0.7MVA (5-7 kg/cm ²) 70-100PS	0.5-0.7MVA (5-7 kg/cm ²) 70-100PS	
1000mm	120 gpm/min	1000mm	
3.0L	0.2 gal	3.0L	
2.2L	0.6 gal	2.2L	
2.0L	0.6 gal	2.0L	
180L	43 gal	180L	
278mm	10.944"	278mm	
8,000 kg	17,640 lbs	8,000 kg	
500W	500W	500W	
1,300W/1,500	1,300W/1,500	1,300W/1,500	
100W x 2 sets	100W x 2 sets	100W x 2 sets	
8 sec	8 sec	8 sec	
20 sec	20 sec	20 sec	



