Machine Name : Jig grinding machine

Brand : Mitsui Seiki

Machine Model : 4GCN

Stock No. : 4813453

Ex-factory Date : 2000



Main Technical Parameters:

X-Axis Travel: 610 mm
Y-Axis Travel: 410 mm
Z-Axis Travel: 460 mm
Column Clearance: 730 mm
Maximum Distance from Worktable Surface to Grinding Spindle Nose: 500 mm
Worktable
Worktable Size (L × W): 790 × 600 mm
Number of T-Slots: 4
T-Slot Specification: JIS No. 12, Class 1
Maximum Worktable Load Capacity: 750 kg
Feed Rates
Rapid Feed Rate: 5,000 mm/min
Grinding Feed Rate: 0.1–500 mm/min
Spindle Head
Rapid Feed Rate: 5,000 mm/min





PamtonSchnell
















工作范围

工作台行程（X轴）：	610 毫米
鞍座行程（Y轴）：	410 毫米
横梁垂直移动范围：	460 毫米
柱间自由空间	730 毫米
从工作台顶面到刚刚主轴鼻端的距离（最大）：	500 毫米

工作台

工作表面（长度x宽度）：	790 x 600 毫米
Tee槽数量：	4
槽配置：	JIS 12 级的 1

工作台允许负载：	750 千克
快速进给速度：	5000mm/分钟
磨削进给速度：	0.1 到 500 毫米/分钟

主轴头架