Machine Name : Tapping machine

Brand : YongXi

Machine Model : YX-T6

Stock No. : 469297

Ex-factory Date : 2026




Main Technical Parameters:

WorkWorktable size: 700 × 420mm
T-slot (number of slots × width) : 3 × 14 × 135mm
Maximum load of Worktable: 250 kg
X-axis travel (left-right travel) : 600 mm
Y-axis travel (forward and backward travel) : 400mm
Z-axis travel (travel up and down on spindle head) : 320mm
Distance from spindle nose to Worktable surface: 150-450 mm
Distance from spindle center to the front of machine column: 400mm
spindle nose hole slope: BT30/100
Maximum Spindle speed: 20,000 rpm
Drive structure: Direct-drive
Fast moving rate (X/Y/Z) : 48 m/min
Tool Tool holder type: BT30
Tool storage capacity: 21 Tools
spindle drive motor: DL5.5kw
Drive motor (X/Y/Z axes) : HG154 × HG154 × HG303B
X/ Y-axis guideway structure: Roller linear guide
Z-axis guideway structure: Roller linear guide
Floor area (L×W×H) : 1700 × 1968 × 2320 mm
Machine weight: 3800 kg
Positioning precision: ± 0.003mm
Repeatability precision: ± 0.003mm
Power requirement: 15 KVA
Air compression demand: 0.6-0.8 Mpa

PamtonSchnell













PamtonSchnell













PamtonSchnell

