**Machine Name : Tapping machine**

**Brand : YongXi**

**Machine Model : YX-T7**

**Stock No. : 469298**

**Ex-factory Date : 2026**



**Main Technical Parameters:**

WorkWorktable size: 780 × 420 mm
T-slot (number of slots × width) : 3 × 14 × 120 mm
Maximum load of Worktable: 250 kg
X-axis travel (left-right travel) : 720mm
Y-axis travel (forward and backward travel) : 420mm
Z-axis travel (travel up and down on spindle head) : 330 mm
Distance from spindle nose to Worktable surface: 150-480 mm
Distance from spindle center to the front of machine column: 460 mm
spindle nose hole slope: BT30 / Φ100
Maximum Spindle speed: 20,000 rpm
spindle drive structure: Direct-drive type
Fast moving rate (X/Y/Z) : 48 m/min
Tool Tool holder type: BT30
Tool storage capacity: 21 Tools
spindle drive motor: DL5.5kw
Drive motors (X/Y/Z axes) : HG154, HG154, HG303B
X/ Y-axis guideway structure: Ball linear guide
Z-axis guideway structure: Ball linear guide
Floor area (L×W×H) : 1800 × 2322 × 2188 mm
Machine weight: 3900 kg
Positioning precision: ± 0.003mm
Repeatability precision: ± 0.003mm
Power requirement: 15 KVA
Air compression demand: 0.6-0.8 Mpa

PamtonSchnell
















PamtonSchnell

