

Machine Name : Machining center

Brand : LITZ

Machine Model : BV-1300BG

Stock No. : 80745

Ex-factory Date : 2020



Main Technical Parameters:

Three-axis travels: 1300*610*600mm

Column height: 300mm


Voltage: 380V

With PARKSON 320 fourth axis + disc tailstock

Used for several hundred hours

Spindle center flushing







		V8-11000R (kg)	V8-13000R (kg)
重量	mm	11500	13000
最大出力	mm	610	610
最大回転速度	mm	600	600
1分1秒作業量	mm	125/25/25	120/25/25
燃料タンク容量	mm	660	660
燃料消費率	mm	325/90/90	300/90
燃料消費率	mm	900	900
作業速度	mm	10,000/10000 (mm ² /時)	10000/10000 (mm ² /時)
燃料消費率	mm	30	30
燃料消費率	mm	300	300
燃料消費率	mm	15	15
燃料消費率	mm	17/15	17/15
燃料消費率	mm	1300/6000	1000/6000
燃料消費率	mm	1900	1200
燃料消費率	mm	1100/6000	1300/6000
燃料消費率	mm	5	18
燃料消費率	mm	15	15
燃料消費率	mm	100	150
燃料消費率	mm	200	200
燃料消費率	mm	30	30
燃料消費率	mm	24	24
燃料消費率	mm	24	24
燃料消費率	mm	9500	12000
燃料消費率	mm	1	400
燃料消費率	mm	25	25
燃料消費率	mm	6	6
燃料消費率	mm	4000	4000

■本公司所有影片皆受法律保障，恕不租借予盜版、影印及轉售。

■本公司保留全場禁映之權利，恕不退還票款。

裝備一覽表

[illegible]

●標準配備 ○選用品