Machine Name : Machining center

Brand : FEELER

Machine Model : FVP-800A

Stock No. : 80811

Ex-factory Date : 2019



Main Technical Parameters:

System: FANUC Oi- MF1
Guide: two linear guideways and one rigid guideway
Spindle: BT40
Spindle speed: 10000rpm
Three-axis travels: 800*500*505mm
Tool magazine: 24
Alpha motor drive
With chain type chip conveyor
Spindle with oil cooler





PamtonSchnell















HORIZONTAL MACHINING CENTR (卧式加工中心)
VERTICAL MACHINING CENTER (立式加工中心)
HORIZONTAL TURNING CENTER(卧式机床)
VERTICAL TURNING CENTER(立式机床)
GROUP (分组) 3
TYPE (类型) S
MODEL (型号) HD2200
SERIAL NO. (生产编号) G1696-0232
VOLTAGE (额定电压) 220 V~(3Ø)
FREQUENCY (频率) 50 Hz
RATED POWER (总功率) 19 kVA
FULL LOAD CURRENT (额定功率) A
CONTROL VOLTAGE (控制电压) AC 110V~,DC 24V
ELECTRIC DIAGRAM (电气原理图编号)
SPINDLE SPEED(MAX) (主轴最大转速) min-1
ULTIMATE BREAKING CAPA. (矩路额定值) kA
SERVICE BREAKING CAPA. (中断工作额定值) kA
WEIGHT (重量) kg
PRODUCTED DATE (生产日期)
IP RATING (IP 防护等级) IP 43
(Gaeumjeong-dong),153, Jeongdong-ro, Seongsan-gu,
Changwon-si, Gyeongsangnam-do, Korea
TEL : 1588-9685, +82-55-280-9660
HYUNDAI WIA CORPORATION