

Machine Name : Turning and Turn-milling machining center

Brand : MAZAK

Machine Model : INTEGREX 200-IIIS

Stock No. : 70822

Ex-factory Date : 2004



Main Technical Parameters:

Measuring width: 5800mm

Measuring depth: 3000mm

Measuring height: 2900mm

Machine weight: 9200kg

X-axis travel: 530mm

Y-axis travel: +/-80mm

Z-axis travel:1065mm

Maximum working diameter: 540mm

Working length: 1005mm

Spindle speed: 1000rpm

Subspindle speed: 5000rpm





SOURCE (max.)	3~200V 60Hz	20.5 A
	3~220V 60Hz	19.9 A
冷却装置 COOLING UNIT		
出力 OUTPUT	圧縮機 COMP.	1.1 kW
	循環ポンプ P1 CIRCULATING PUMP	0.4 kW
	循環ポンプ P2 CIRCULATING PUMP	0.4 kW
	ファン FAN	P 1 共用
	吐出量 DISPLACEMENT P1	24/28.8 L/min
吐出量 DISPLACEMENT P2	18/21.6 L/min	
冷媒 REFRIGERANT	R407C : 0.83 kg	
冷凍機油 REF. OIL	FVC50K: 0.41 L	
最高使用圧力 M. O. P.	3.2 MPa	
油圧装置 HYDRAULIC UNIT		
油圧ポンプ形式 HYDRAULIC PUMP MODEL	EHM6-M07-40-027	
最高使用圧力 M. O. P.	6.0 MPa	
吐出量 DISPLACEMENT	30.0 L/min	
	5000 min ⁻¹	

