

Machine Name : Core control machine

Brand : Tsugami

Machine Model : B0265-II

Stock No. : 81778

Ex-factory Date : 2019



Main Technical Parameters:

Maximum spindle drilling diameter: 12mm

Maximum machining diameter: 26mm

Spindle speed: 10000rpm

Fast feed rate: 32m/min(X1,Y1,Y2: 24m/min)

Spindle motor power: 3.7/5.5kw



机床参数	B0265-II	B0266-II
主轴最大钻孔直径	φ12mm	
主轴最大螺紋孔径	M10	
背轴最大夹持直径	φ26	
背轴最大钻孔直径	φ10	
背轴最大螺紋孔径	M10	
横向动力头最大钻孔直径	φ10(T01-T03), φ12(T04)	
横向动力头最大螺紋孔径	M6×10(T01-T03), M8×1.25(T04)	
动力头最大切削刀径	φ45	
最大加工直径	φ20mm	
主轴转速	200~10,000min ⁻¹	200~10,000min ⁻¹
背轴转速	200~10,000min ⁻¹	200~10,000min ⁻¹
刀具数量	21/39	31/43
快速移动	32m/min(X1,Y1,Y2 : 24m/min)	32m/min(X1,Y1,Y2 : 24m/min)
控制轴数 (直线轴)	5	6
主轴电机功率	3.7/5.5KW	3.7/5.5KW
刀具尺寸	16mm×16mm×100mm	
旋转导轨转速	200-10000min-1电导套	



