Machine Name : CNC incline

Brand : Wia

Machine Model : L280L

Stock No. : 82099

Ex-factory Date : 2016




Main Technical Parameters:


X/Z/B maximum travel: 220/1100mm
X/Z/B fast feed rate: 20/24m/min
Spindle speed: 3000rpm
Maximum rotating diameter: 254mm
Maximum machining diameter: 36mm
Maximum machining length: 1070mm
Maximum bar diameter: 76mm
Fanuc TD CNC System
Alpha drive motor
10 inches South Korean SEOAM chuck
12 positions server turret
Machining length: 1100mm
Hydraulic tailstock

PamtonSchnell













PamtonSchnell









	项目	单位	T.280	T.280T.	T.280T.M
卡盘	卡盘尺寸	mm	Ø254		
性能	最大回转直径	mm	Ø593		
	最大车削长度		720	1,070	1,000
	最大车削直径		Ø410		
	棒料最大直径		Ø76		
主轴	主轴转度	ASA	A2-8		
	主轴转速	rpm	3,000		3,500
	主轴功率	kW	22/18.5		
	C轴最小进给分度	degree	-		0.001
行程	X/Z/B最大行程	mm	220/750	220/1,100	220/1,020
	X/Z/B快速进给	m/min	20/24		
	进给方式	-	LM GUIDE		
	刀塔容量	EA	10		12
	刀具规格	-	32/Ø50		
	刀塔分度时间	Sec/step	0.5		
尾座	锥度	-	MT5		
	直径	mm	Ø 100		
	套筒行程	mm	120		
	行程	mm	570	920	
	安装尺寸长×宽	mm	3,010×1,812	3,670×1,812	