

Machine Name : Automatic Lathe

Brand : Tonas

Machine Model : CT20 Pro

Stock No. : 90645

Ex-factory Date : 2019



Main Technical Parameters:

Maximum bar diameter :25mm

Maximum tool diameter: 13mm

High pressure pump: 70kg

With rotating guide bushing

Spindle power milling heads: 4

End face hanger: available to support 3 parts

Back-spindle power milling heads: 2

Parts conveyor

Oil mist collector





型号规格: 227T [内步冲头与加工板式下主轴一次开刃最长零件加工长度为 210mm]		
496-1620	陆威后动立刀座 陆威后动立刀座 可安装在主轴617附属刀架 (不附属刀架) 最大夹持直径: 13mm	5
496-1030	60°锥形动力刀座 前夹形式ESX20, 内夹 (可安装在主轴和附属刀架 (不附属刀架) 最大刀片直径: 13mm	1
496-4110	可调气动零件退出装置 含夹头(滑出) 提吸零件最大长度: 110 mm 含 1 个备用泵用嘴	1
496-4500	S51 连续驱动装置 用于齿轮加工 功率: 1kW / 5000 rpm 最多 4 个	1
496-6200	零件推出传送带	1
495-5210	带回油的支架和零件箱 在零件传送带出口	1
496-9150	1拖3特殊刀座	1
96-9510	送料机	1